

DECLARATION OF PERFORMANCE

DoP No 997

1. Unique identification code of the product-type:

For product number please see attached list

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Personal hygiene (PH)

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

LAUFEN Bathrooms AG

Wahlenstrasse 46

CH - 4242 Laufen, Switzerland

Tel: +41 61 765 71 11 / e-mail: info@laufen.ch / website: www.laufen.com

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

not applicable

5. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

System 4

6. Harmonised standard:

EN997:2012/AC:2012

7. Declared performance

Essential characteristics	Performance
Capacity of flushing water (CF)	Confirmed
Backflow prevention (BP)	Confirmed
Cleanability (CA)	Confirmed
Load resistance (LR)	Confirmed
Water-, leaktightness (WT)	Confirmed
Valve reliability (VR)	Confirmed
Durability (DA)	Confirmed

The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

not applicable

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer



Joan Pedro Santos
Manufacturing Director

LAUFEN

DECLARATION OF PERFORMANCE

DoP no 997

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume
H821990		ALBANOVA	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H821998		ALBANOVA	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H823000		ALBANOVA	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H823008		ALBANOVA	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H823050		ALBANOVA	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H823058		ALBANOVA	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H822976		ALESSI	PCS	Geberit 273.331.00.1	EN 997 - CL1 - 5 - VR11	CF - BP - CA - DA - WT - VR	5/3
H822976		ALESSI	PCS	826971	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3
H820714	P: H866E10	BASAL	WP		EN 997 - CL1 - 5A	CF - BP - CA - LR - DA	5/3
H820714	P: H866E10	BASAL	WP	LAUFEN LIS 89466x	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H821384	P: H866E11	BASAL	WP		EN 997 - CL1 - 5/6A	CF - BP - CA - LR - DA	5/3
H821370		DINO	WP	LAUFEN LIS 894665	EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3
H821374		DINO	WP	LAUFEN LIS 894665	EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3
H820031		FLORAKIDS	WP		EN 997 - CL1 - 5A - 5C	CF - BP - CA - LR - DA	5/3
H822031		FLORAKIDS	PP		EN 997 - CL1 - 5A - 5C	CF - BP - CA - DA	5/3
H822036		FLORAKIDS	PP		EN 997 - CL1 - 5A - 5C	CF - BP - CA - DA	5/3
H822037		FLORAKIDS	PP		EN 997 - CL1 - 5A - 5C	CF - BP - CA - DA	5/3
H820661		HIJET	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3
H820661		HIJET	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3
H820971		IL BAGNO ALESSI ONE	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3

Signed for and on behalf of the manufacturer

P = Pack



LAUFEN

DECLARATION OF PERFORMANCE

DoP no 997

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume
H820971		IL BAGNO ALESSI ONE	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820976		IL BAGNO ALESSI ONE	WP	Geberit 111.383.00.1	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H820976		IL BAGNO ALESSI ONE	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H821971		IL BAGNO ALESSI ONE	PP		EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H821971		IL BAGNO ALESSI ONE	PP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - DA	5/3
H821601		IMOLA	WCS	826540	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA - WT - VR	6/3
H821630		IMOLA	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3
H821636		IMOLA	WP	LAUFEN LIS 894665	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H821636		IMOLA	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3
H820333		Kartell • Laufen	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820333		Kartell • Laufen	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WL - VR	4.5/3
H820336	P: H860330	Kartell • Laufen	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3
H820336	P: H860330	Kartell • Laufen	WP		EN 997 - CL1 - 6/5/4A	CF - BP - CA - LR - DA	4.5/3
H820337		Kartell • Laufen	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820337		Kartell • Laufen	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WL - VR	4.5/3
H823331		Kartell • Laufen	PP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3
H823331		Kartell • Laufen	PP		EN 997 - CL1 - 6/5A - 6C	CF - BP - CA - DA	4.5/3
H823336		Kartell • Laufen	PP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3
H823336		Kartell • Laufen	PP		EN 997 - CL1 - 6/5A	CF - BP - CA - DA	4.5/3
H823337		Kartell • Laufen	PP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3

Signed for and on behalf of the manufacturer

P = Pack



LAUFEN

DECLARATION OF PERFORMANCE

DoP no 997

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume
H823337		Kartell • Laufen	PP		EN 997 - CL1 - 6/5A	CF - BP - CA - DA	4.5/3
H824331		Kartell • Laufen	PCS	829330/1/2/3/5	EN 997 - CL1 - 6/5 - VR II	CF - BP - CA - DA - WT - VR	5/3
H824331		Kartell • Laufen	PCS	829330/1/2/3/5	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3
H824337		Kartell • Laufen	PCS	829331	EN 997 - CL1 - 6/5 - VR II	CF - BP - CA - DA - WT - VR	5/3
H824337		Kartell • Laufen	PCS	829331	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3
H820150	P: H825158	KOMPAS	WP		EN 997 - CL1 - 5/6A	CF - BP - CA - LR - DA	5/3
H820159	P: H827159 P: H825159	KOMPAS	WCS	828150	EN 997 - CL1 - 4 - VR II	CF - BP - CA - DA - WT - VR	4/3
H824150	P: H825150 P: H825151 P: H827150 P: H827151	KOMPAS	PCS Pack	828150	EN 997 - CL1 - 4 - VR II	CF - BP - CA - DA - WT - VR	4/3
H824151	P: H825152 P: H825153 P: H827152 P: H827153	KOMPAS	PCS	828150	EN 997 - CL1 - 4 - VR II	CF - BP - CA - DA - WT - VR	4/3
H824152	P: H825154 P: H825155 P: H827154 P: H827155	KOMPAS	PCS	828150	EN 997 - CL1 - 4 - VR II	CF - BP - CA - DA - WT - VR	4/3
H824150	P: H825090 P: H825091 P: H827090 P: H827091	KOMPAS E	PCS	828098	EN 997 - CL1 - 4 - VR II	CF - BP - CA - DA - WT - VR	4/3

Signed for and on behalf of the manufacturer

P = Pack



LAUFEN

DECLARATION OF PERFORMANCE

DoP no 997

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume
H820950	P: H861954 P: H866950	LAUFEN PRO	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3
H820953		LAUFEN PRO	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3
H820954		LAUFEN PRO	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H820954		LAUFEN PRO	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3
H820955		LAUFEN PRO	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3
H820956	P: H861956 P: H866953	LAUFEN PRO	WP	LAUFEN LIS 894665	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H820956	P: H861956 P: H866953	LAUFEN PRO	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3
H820956	P: H861956 P: H866953	LAUFEN PRO	WP	Grohe 38422 000	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H820959		LAUFEN PRO	WP		EN 997 - CL1 5A 6C	CF - BP - CA - LR - DA	5/3
H820960	P: H866951	LAUFEN PRO	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3
H820960	P: H866951	LAUFEN PRO	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3
H820964	P: H861958 P: H866954	LAUFEN PRO	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H820964	P: H861958 P: H866954	LAUFEN PRO	WP		EN 997 - CL1 5/6A	CF - BP - CA - LR - DA	5/3
H820965	P: H866955	LAUFEN PRO	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3
H820965	P: H866955	LAUFEN PRO	WP	Geberit 111.799.00.1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3

Signed for and on behalf of the manufacturer

P = Pack



LAUFEN

DECLARATION OF PERFORMANCE

DoP no 997

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume
H820965	P: H866955	LAUFEN PRO	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820966	P: H866956 P: H861957 P: H866957	LAUFEN PRO	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3
H820966	P: H866956 P: H861957 P: H866957	LAUFEN PRO	WP	Geberit 109.309.00.5	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3
H820966	P: H866956 P: H861957 P: H866957	LAUFEN PRO	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820966	P: H866956 P: H861957 P: H866957	LAUFEN PRO	WP	VALsir VS0853052	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H821952		LAUFEN PRO	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H821952		LAUFEN PRO	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3
H821954		LAUFEN PRO	WP	LAUFEN LIS 894665	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	6/3
H821954		LAUFEN PRO	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3
H821956		LAUFEN PRO	PP		EN 997 - CL1 - 6A	CF - BP - CA - DA	6/3
H821957		LAUFEN PRO	PP		EN 997 - CL1 - 6A	CF - BP - CA - DA	6/3
H821958		LAUFEN PRO	PP		EN 997 - CL1 - 6A	CF - BP - CA - DA	6/3
H821959		LAUFEN PRO	PP		EN 997 - CL1 - 6A	CF - BP - CA - DA	6/3

Signed for and on behalf of the manufacturer

P = Pack



LAUFEN

DECLARATION OF PERFORMANCE

DoP no 997

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume
H821962		LAUFEN PRO	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3
H821962		LAUFEN PRO	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H821966	P: H866956 P: H861957 P: H866957	LAUFEN PRO	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3
H821966	P: H866956 P: H861957 P: H866957	LAUFEN PRO	WP	Geberit 109.309.00.5	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3
H821966	P: H866956 P: H861957 P: H866957	LAUFEN PRO	WP		EN 997 - CL1 - 4/5/6A	CF - BP - CA - DA	4.5/3
H822951		LAUFEN PRO	PP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - DA	6/3
H822951		LAUFEN PRO	PP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3
H822952		LAUFEN PRO	PP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3
H822952		LAUFEN PRO	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H822956		LAUFEN PRO	PP		EN 997 - CL1 - 5/6A	CF - BP - CA - LR - DA	5/3
H822956		LAUFEN PRO	PP		EN 997 - CL2 - 4.5/5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H824955		LAUFEN PRO	PCS	826950/1/2/3/5	EN 997 - CL1 - 6 - VR II	CF - BP - CA - DA - WT - VR	6/3
H824955		LAUFEN PRO	PCS	826950/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3
H824956	P: H861950 P: H867950	LAUFEN PRO	PCS	826950/1/2/3/5	EN 997 - CL1 - 6 - VR II	CF - BP - CA - DA - WT - VR	6/3

Signed for and on behalf of the manufacturer

P = Pack



LAUFEN

DECLARATION OF PERFORMANCE

DoP no 997

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume
H824956	P: H861950 P: H867950	LAUFEN PRO	PCS	826950/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3
H824957	P: H861951 P: H867951	LAUFEN PRO	PCS	826950/1/2/3/5	EN 997 - CL1 - 6 - VRII	CF - BP - CA - DA - WT - VR	6/3
H824958		LAUFEN PRO	PCS	826950/1/2/3/5	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3
H824958		LAUFEN PRO	PCS	826950/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3
H824959		LAUFEN PRO	PCS	826950/1/2/3/5	EN 997 - CL1 - 6 - VRII	CF - BP - CA - DA - WT - VR	6/3
H825952	P: H861952 P: H867953	LAUFEN PRO	PCS	829950/1/2/3/5	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3
H825952	P: H861952 P: H867953	LAUFEN PRO	PCS	829950/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3
H825955		LAUFEN PRO	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H825956		LAUFEN PRO	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H825957		LAUFEN PRO	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H825962		LAUFEN PRO	PCS	829950/1/2/3/5	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - DA - WT - VR	5/3
H825962		LAUFEN PRO	PCS	829950/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3
H825964		LAUFEN PRO	PCS	829950/1/2/3/5	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - DA - WT - VR	5/3
H825964		LAUFEN PRO	PCS	829950/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3
H821954		LAUFEN PRO Liberty	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3
H821954		LAUFEN PRO Liberty	WP	LAUFEN LIS 894665	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3

Signed for and on behalf of the manufacturer

P = Pack



LAUFEN

DECLARATION OF PERFORMANCE

DoP no 997

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume
H821960		LAUFEN PRO Liberty	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3
H821960		LAUFEN PRO Liberty	WP	Grohe 38 525 00 1	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H820961		LAUFEN PRO S	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820961		LAUFEN PRO S	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3
H820962		LAUFEN PRO S	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3
H820962		LAUFEN PRO S	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820958	P: H827968	LAUFEN PRO-n	WP		EN 997 - CL1 - 4A	CF - BP - CA - LR - DA	4/2
H824950	P: H827950 P: H827951 P: H827960 P: H827961	LAUFEN PRO-n	PCS	828955	EN 997 - CL1 - 5 - VR II	CF - BP - CA - DA - WT - VR	5/3
H824951	P: H827952 P: H827953 P: H827962 P: H827963	LAUFEN PRO-n	PCS	828955	EN 997 - CL1 - 5 - VR II	CF - BP - CA - DA - WT - VR	5/3
H824952	P: H827954 P: H827955 P: H827964 P: H827965	LAUFEN PRO-n	PCS	828955	EN 997 - CL1 - 5 - VR II	CF - BP - CA - DA - WT - VR	5/3

Signed for and on behalf of the manufacturer

P = Pack



LAUFEN

DECLARATION OF PERFORMANCE

DoP no 997

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume
H824953	P: H827956 P: H827957 P: H827966 P: H827967	LAUFEN PRO-n	PCS	828955	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3
H824960	P: H828966 P: H828967	LAUFEN PRO-n	PCS	828955	EN 997 - CL1 - 4/6 - VRII	CF - BP - CA - DA - WT - VR	4/3
H824961	P: H828968 P: H828969	LAUFEN PRO-n	PCS	828955	EN 997 - CL1 - 4/6 - VRII	CF - BP - CA - DA - WT - VR	4/3
H821470		LIBERTYLINE	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3
H820080	P: H866080	LUA	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820080	P: H866080	LUA	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WL - VR	4.5/3
H820081	P: H866081	LUA	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820081	P: H866081	LUA	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WL - VR	4.5/3
H820083		LUA	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820083		LUA	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WL - VR	4.5/3
H824081		LUA	PCS	827081/2/3/5	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - DA - WT - VR	5/3
H824081		LUA	PCS	827081/2/3/5	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3
H824086	P: H867086	LUA	PCS	827081/2/3/5	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - DA - WT - VR	5/3
H824086	P: H867086	LUA	PCS	827081/2/3/5	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3
H824087	P: H867087	LUA	PCS	827081/2/3/5	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - DA - WT - VR	5/3

Signed for and on behalf of the manufacturer

P = Pack



LAUFEN

DECLARATION OF PERFORMANCE

DoP no 997

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume
H824087	P: H867087	LUA	PCS	827081/2/3/5	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3
H821408		melos	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H820540		MODERNA PLUS	WP	Geberit 110.300	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H820540		MODERNA PLUS	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	4.5/3
H820541		MODERNA R	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3
H820542		MODERNA R	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3
H820543		MODERNA R	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3
H820544		MODERNA R	WP		EN 997 - CL1 - 5/6A	CF - BP - CA - LR - DA	6/3
H820545		MODERNA R	WCS	826540/1/2	EN 997 - CL1 - 6/5 - VR II	CF - BP - CA - LR - DA - WT - VR	5/3
H820547		MODERNA R	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3
H820549		MODERNA R	WCS	826540/1/2	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA - WT - VR	6/3
H821546		MODERNA R	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3
H823541		MODERNA R	PCS	826540/1/2/3	EN 997 - CL1 - 6/5 - VR II	CF - BP - CA - DA - WT - VR	5/3
H823542		MODERNA R	PCS	826540/1/2/3	EN 997 - CL1 - 6/5 - VR II	CF - BP - CA - DA - WT - VR	5/3
H824541		MODERNA R	PCS	826540/1/2/3	EN 997 - CL1 - 6/5 - VR II	CF - BP - CA - DA - WT - VR	5/3
H824542		MODERNA R	PCS	826540/1/2/3	EN 997 - CL1 - 6/5 - VR II	CF - BP - CA - DA - WT - VR	5/3
H821541		MODERNA S	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3
H821542		MODERNA S	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3
H820601		NAVIA	WP	894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3
H820601		NAVIA	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820060	P: H866061	OBJECT	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3

Signed for and on behalf of the manufacturer

P = Pack



LAUFEN

DECLARATION OF PERFORMANCE

DoP no 997

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume
H820269		OBJECT	PCS	826160/2	EN 997 - CL1 - 6 - VRII	CF - BP - CA - DA - WT - VR	6/3
H821060	P: H866060	OBJECT	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H821060		OBJECT	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3
H823060		OBJECT	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H823068		OBJECT	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H820700		PALACE	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H820700		PALACE	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3
H820701		PALACE	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3
H820702		PALACE	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3
H820703		PALACE	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H820703		PALACE	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3
H820703		PALACE	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3
H820703		PALACE	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H820706	P: 866700	PALACE	WP		EN 997 - CL1 - 6/5A - 6C	CF - BP - CA - LR - DA	4.5/3
H820706	P: 866700	PALACE	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3
H823701		PALACE	PP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - DA	5/3
H823701		PALACE	PP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3
H824706		PALACE	PCS	828700/1/2/3/5	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3
H824706		PALACE	PCS	828700/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3

Signed for and on behalf of the manufacturer

P = Pack



LAUFEN

DECLARATION OF PERFORMANCE

DoP no 997

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume
H820801		PALOMBA	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H820801		PALOMBA	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3
H820802	P: H866800	PALOMBA	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820802	P: H866800	PALOMBA	WP		EN 997 - CL2 - 4,5	CF - BP - CA - LR - DA - WT - VR	4.5/3
H823806		PALOMBA	PP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - DA	5/3
H823806		PALOMBA	PP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3
H824801		PALOMBA	PCS	828800/1/2/3/5	EN 997 - CL1 - 5 - VR II	CF - BP - CA - DA - WT - VR	4.5/3
H824801		PALOMBA	PCS	828800/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3
H824806		PALOMBA	PCS	828800/1/2/3/5	EN 997 - CL1 - 5 - VR II	CF - BP - CA - DA - WT - VR	4.5/3
H824806		PALOMBA	PCS	828800/1/2/3/5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3
H822130		PASCHA	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H822135		PASCHA	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
H823070		PASCHA	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3
A342ND0000	P: H827362 P: H825362	RIGO	PCS	828361	EN 997 - CL1 - 4 - VR II	CF - BP - CA - DA - WT - VR	4/3
A342ND1000	P: H827360 P: H825360	RIGO	PCS	828361	EN 997 - CL1 - 4 - VR II	CF - BP - CA - DA - WT - VR	4/3
A342ND3000	P: H827361 P: H825361	RIGO	PCS	828361	EN 997 - CL1 - 4 - VR II	CF - BP - CA - DA - WT - VR	4/3
H820691		RIVA	WP	894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3
H820691		RIVA	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3

Signed for and on behalf of the manufacturer

P = Pack



LAUFEN

DECLARATION OF PERFORMANCE

DoP no 997

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume
H820662		SAVE!	WP		EN 997 - CL1 - 6/5/4A	CF - BP - CA - LR - DA	4/3
H820662		SAVE!	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WL - VR	4.5/3
H820955		SCANDIA	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3
H820955		SCANDIA	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3
H820341		SONAR	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820341		SONAR	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WL - VR	4.5/3
H823341		SONAR	PP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3
H823341		SONAR	PP		EN 997 - CL1 - 6/5A	CF - BP - CA - DA	4.5/3
H821100		SUPREMA	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3
H821650		SUPREMA	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3
H820851		THE NEW CLASSIC	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820851		THE NEW CLASSIC	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WL - VR	4.5/3
H823851		THE NEW CLASSIC	PP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3
H823851		THE NEW CLASSIC	PP		EN 997 - CL1 - 6/5A	CF - BP - CA - DA	4.5/3
H824858		THE NEW CLASSIC	PCS	829851	EN 997 - CL1 - 6/5 - VR II	CF - BP - CA - DA - WT - VR	5/3
H824858		THE NEW CLASSIC	PCS	829851	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3
H820281		VAL	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3
H820281		VAL	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WL - VR	4.5/3
H824281		VAL	PCS	829280/1/2/3/5	EN 997 - CL1 - 6/5/4.5 - VR II	CF - BP - CA - DA - WT - VR	4.5/3
H824281		VAL	PCS	829280/1/2/3/5	EN 997 - CL2 - 6/4.5	CF - BP - CA - DA - WT - VR	4.5/3

Signed for and on behalf of the manufacturer

P = Pack

